

## Symbols

\$LOCAL ..... 3-67

## Numerics

802.3 FRAMING ..... 4-6

8BIT CHARACTER SETS ..... 3-22

## A

ACTIVE ON MAILING LIST ..... 3-102

ACTIVE, LISTSERV OPTION ..... 5-8

ADDRESS ..... 3-78

ADDRESS OF MAILLIST MEMBER ..... 3-93

ADDRESS, HPDESK FSC GATEWAY ..... 3-79

ADDRESS, LISTSERV COMMAND ..... 5-7

ADE TRANSACTION FORMATS ..... 3-117

ADMINISTRATIVE USER ..... 3-16

ADMINSTRATOR, ALLOWING ACCESS ..... 3-54

ADVERTISE USER ..... 3-57

ADVERTISE USER (GLOBAL SETTING) ..... 3-37

AGING DAYS ..... 3-39, 3-66

ALIAS ..... 3-75

ALIASES MAINTENANCE ..... 3-85

ALIASES, BROWSING ..... 3-86

ALIASES, DELETING ..... 3-86

ALIASES, UPDATING ..... 3-86

ALLOW DISABLE RECEIPTS ..... 3-43, 3-62

ALLOW EXTENDED CMDS ..... 3-40, 3-61

ALTERNATE HOST NAME ..... 3-26, 3-81

ALTERNATE NAME SETTING (GLOBAL SETTING) ..... 3-26

ALT-HOSTNAME ..... 3-67

ARPAQUEUE (JCW) ..... 3-126

ARPAQUEUE JCW ..... 3-129

ATTACHMENTS ..... 3-136

AUTO LISTING ..... 3-42, 3-64

AUTOMATIC DIRECTORY EXCHANGE (ADE) ..... 3-115

AUTOMATIC MAILBOXES ..... 3-72

AUTO-PROCESS MM FILES ..... 3-41, 3-64

AUTO-PROCESSING MAIL ..... 3-72

## B

BACKGROUND JOB ..... 1-10, 3-126

BACKUP (OF SYSTEM) ..... 3-130

BIND (NAMESERVER) ..... 3-29

BINHEX ENCODING .....	3-112
BINHEXED ATTACHMENTS (GATEWAY ISSUES) .....	3-136
BROWSING ALIASES .....	3-86
BROWSING MAIL USERS .....	3-48
BYTES RECEIVED .....	3-84
BYTES SENT .....	3-83

**C**

CACHED .....	3-79
CCMAIL .....	3-138
CHANGING HOST INFORMATION .....	3-76
CHARON GATEWAY .....	3-138
CHECK SPELLING .....	3-58
CHECK SPELLING (GLOBAL SETTING) .....	3-38
CHECKING FOR NEW MAIL .....	3-57
CHECKSUMS (TCP/IP) .....	4-6
COMMAND FILES .....	3-72
COMMANDS, MPE .....	3-35
COMMANDS, MPE (PER USER) .....	3-54
COMMUNICATIONS LINE FAILURES .....	4-4
COMPANY NAME .....	3-51

**D**

DATABASE CAPACITIES (CHANGING) .....	3-8
DATABASE STATISTICS .....	3-5
DAYTIME PROTOCOL .....	5-3
DAYTIME SOCKET .....	5-3
DBCOPY UTILITY .....	3-8
DDN .....	2-2
DEBUGGING SUGGESTIONS .....	3-10
DEFAULT ENCODING .....	3-112
DEFAULT GATEWAY .....	2-5
DEFAULT GATEWAYS .....	4-6
DEFAULT USER (HPDESK) .....	4-5
DELETE (ALIASES) .....	3-87
DELETE MAILING LIST MEMBERS .....	3-105
DELETING ALIASES .....	3-86
DELETING MAIL USERS .....	3-48
DELIVERY TIMEOUTS .....	3-11
DEPARTMENT .....	3-51
DEPARTMENT MAILING LISTS .....	3-91
DESCRIPTION OF MAILING LIST .....	3-92, 3-96, 3-99
DESK LOCATION .....	3-113
DESKHEAD.DATA.THREEK .....	3-114
DESKLINKVERIFY (JCW) .....	3-127

DESKLINKVERIFY JCW .....	3-129
DESKREFORMATRECIPS (JCW) .....	3-128
DESKREFORMATRECIPS JCW .....	3-129
DESKUSESHORTADDR JCW .....	3-130
DEVICE, FORWARDING TO .....	3-71
DIALUP INTERNET LINKS (SCHEDULED ACCESS) .....	3-142
DIGEST FILE (MAILING LIST) .....	3-97
DIGEST FILE, LAST DISTRIBUTION .....	3-98
DIRECTORY SYNCHRONIZATION .....	3-115
DIRECTORY UPD (MAILBOX) .....	3-117
DIRECTORY UPD MAILBOX .....	3-115
DISPLAY LINES .....	3-45, 3-54
DISPLAY MINIMAL HEADER .....	3-41, 3-42, 3-63, 3-64
DISPLAY PAUSE .....	3-43, 3-44, 3-45, 3-54, 3-63
DISTRIBUTION LIST NAME .....	3-90, 3-94
DNS (MX) RECORDS .....	3-30
DOMAIN NAME SERVER .....	3-29, 3-133, 3-135
DOMAIN NAME SERVERS (DNS) .....	2-4
DOMAIN.ORG .....	3-69

**E**

EDIT FLAG .....	3-106
EDITOR.PUB.SYS .....	3-39
EMAIL ADDRESS, MAILING LIST .....	3-100
EMPLOYEE ID .....	3-49
ENABLE FINGER SERVER .....	3-23
ENABLEFTP (JCW) .....	3-126, 3-128
ERRORLOG.NETMAIL .....	3-121
ETHERNET ENABLED .....	3-133, 4-6
EXAMPLE CONFIGURATIONS .....	3-132
EXCLUDES.DATA.THREEK .....	3-123
EXCLUDING ACCESS BY IP ADDRESS .....	3-123
EXPAND, LISTSERV COMMAND .....	5-7
EXTENDED CAPABILITIES .....	3-67, 3-69, 3-70
EXTERNAL LOADING (GLOBAL SETTING) .....	3-20

**F**

FAX DEVICE .....	3-31
FAX OUTPUT .....	3-72
FAX RECIPIENTS .....	3-72
FILE ATTACHMENTS (GATEWAY ISSUES) .....	3-136
FILE EQUATIONS, JANITOR .....	3-129
FILENAME, FORWARDING TO .....	3-71
FILTERS, MESSAGE .....	3-124
FINGER PROTOCOL .....	5-5

FIREWALL .....	3-27
FIREWALL ROUTERS .....	4-6
FORCE ALL MAIL THROUGH THE TRUSTED GATEWAY .....	3-27
FORMS MESSAGE (FAX OUTPUT) .....	3-72
FORWARD TO A DEVICE .....	3-71
FORWARD TO A FILE .....	3-71
FORWARD TO MPE FILES .....	3-71
FORWARD TO NODE .....	3-70
FORWARD TO USER .....	3-69
FUNCTION KEY LABELS (NOTIFICATION) .....	3-36

## G

GATEWAY .....	3-135, 3-136
GATEWAY ENCODING .....	3-112
GATEWAY INPUT FILENAME .....	3-111
GATEWAY OUTPUT FILENAME .....	3-111
GATEWAY SYSTEM .....	3-27
GATEWAYS .....	4-6
GENERAL DELIVERY MAILBOX (HPDESK) .....	3-129
GET PROGRAM .....	5-2
GET.SYS.THREEK .....	5-2, 5-4
GETDNSHOSTNAME (JCW) .....	3-127
GETDNSHOSTNAME JCW .....	3-129
GLOBAL DEFAULT SETTINGS .....	3-16
GMT OFFSET .....	3-18
GOPHERTELL (JCW) .....	3-126, 3-128

## H

HELP, LISTSERV COMMAND .....	5-7
HIDDEN, LISTSERV SET OPTION .....	5-8
HIDE HOSTNAME .....	3-30
HIDE MEMBER, MAILING LIST .....	3-101
HOME SYSTEM .....	3-67
HOST ALIAS (GLOBAL SETTING) .....	3-26
HOST DESCRIPTION .....	3-81
HOST NAME .....	3-77, 3-109
HOST SYSTEMS .....	3-4
HOSTNAME PROTOCOL .....	5-5
HOSTS, FINDING .....	3-76
HOURS BETWEEN DIGEST POSTINGS .....	3-98, 3-102
HOURS RETRYING, NORMAL MAIL .....	3-31
HOURS RETRYING, URGENT MAIL .....	3-32
HPDESK FSC GATEWAY .....	3-15
HPDESK GATEWAY CONFIGURATION SUPPLEMENT .....	3-15
HPDESK GENERAL DELIVERY MAILBOX .....	3-129

HPDESK LOCATION ..... 3-113  
 HPDESK NETWORK ADDRESS..... 3-80

**I**

ID, EMPLOYEE..... 3-49  
 INACTIVE, LISTSERV OPTION ..... 5-8  
 INFOBOTS..... 3-72  
 INITIAL SET UP ..... 3-2  
 INSTALLATION FOR SECURITY/PLUS USERS ..... 3-19  
 INTERNET ACCESS,DIALUP SCHEDULED ..... 3-142  
 INTERRUPTIVE MAIL NOTIFICATION ..... 3-36  
 IP ADDRESS ..... 3-4

**J**

JANITOR (FILE EQUATION) ..... 3-127, 3-129  
 JANITOR Program..... 3-129  
 JCL LINES ..... 3-107  
 JCW (GET PROGRAM) ..... 5-2  
 JCW, ARPAQUEUE ..... 3-129  
 JCW, DESKLINKVERIFY ..... 3-129  
 JCW, DESKREFORMATRECIPS..... 3-129  
 JCW, DESKUSESHORTADDR ..... 3-130  
 JCW, GETDNSHOSTNAME ..... 3-129  
 JCW, SEPARATESTDLISTS ..... 3-129  
 JOB, BACKGROUND..... 3-126

**K**

KNOWN HOSTS MAINTENANCE..... 3-77

**L**

LAST RECEIVED FROM ..... 3-82  
 LAST RUN..... 3-50  
 LAST SENT TO..... 3-82  
 LIMITING DELIVERY ATTEMPTS ..... 3-11  
 LINKING USERS TO MPE LOGONS ..... 3-85  
 LIST SERVER ..... 5-6  
 LISTSERV ACTIVE OPTION ..... 5-8  
 LISTSERV ADDRESS COMMAND ..... 5-7  
 LISTSERV EXPAND COMMAND ..... 5-7  
 LISTSERV HELP COMMAND ..... 5-7  
 LISTSERV HIDDEN OPTION ..... 5-8  
 LISTSERV INACTIVE OPTION ..... 5-8  
 LISTSERV QUIT COMMAND..... 5-8  
 LISTSERV REVIEW COMMAND..... 5-8

LISTSERV SET COMMAND .....	5-8
LISTSERV SHOW COMMAND .....	5-8
LISTSERV SUBSCRIBE COMMAND .....	5-8
LISTSERV UNHIDDEN OPTION .....	5-8
LISTSERV UNSUBSCRIBE COMMAND .....	5-9
LISTSERV VERIFY COMMAND .....	5-9
LISTSERV.DATA.THREEK .....	5-6
LOADED .....	3-80
LOADING MAILBOXES, EXTERNAL .....	3-20
LOCAL AREA NETWORKS .....	2-3
LOCAL LANGUAGE .....	3-59
LOCAL PRINTERS .....	3-67
LOCKING OUT USERS .....	3-120
LOCKOUT.PUB.THREEK .....	3-120
LOGGING ERRORS .....	3-121
LOGGING MESSAGES .....	3-121
LOGON FOR MAIL USERS .....	3-75

## M

MAIL ADMININSTRATOR ACCESS .....	3-54
MAIL ADMINISTRATOR .....	3-2, 3-4
MAIL DIRECTORY SYNCHRONIZATION .....	3-115
MAIL HUB .....	3-139
MAIL LIST, ##DIRECTORY IN .....	3-115
MAIL LISTS, ##DIRECTORY OUT .....	3-115
MAIL PRIORITY (GLOBAL) .....	3-34
MAIL PRIORITY (USER) .....	3-61
MAIL ROBOTS .....	3-72
MAIL SYSTEM ADMINISTRATOR (DESIGNATING) .....	3-35
MAIL SYSTEM MAINTENANCE .....	3-120
MAIL SYSTEMS .....	1-2
MAILBOX NAME .....	3-48
MAILBOX PASSWORD .....	3-53
MAILBOX, ##DIRECTORY UPD .....	3-115
MAILBOXES ROUTED TO FAX .....	3-72
MAILDIR.NETMAIL.THREEK .....	3-117
MAILDUMP JOB.THREEK .....	3-116
MAILDUMP.JOB.THREEK .....	3-117
MAILDUMP.PUB.THREEK .....	3-117
MAILING ADDRESS .....	3-55
MAILING LIST .....	3-90, 3-94
MAILING LIST \$ALL .....	3-91
MAILING LIST \$NEWUSERS .....	3-91
MAILING LIST DESCRIPTION .....	3-92, 3-96, 3-99
MAILING LIST DIGEST FILE .....	3-97

MAILING LIST EMAIL ADDRESS.....	3-93, 3-100
MAILING LIST HIDE MEMBER.....	3-101
MAILING LIST HOURS BETWEEN DIGEST POSTINGS .....	3-98, 3-102
MAILING LIST MAINTENANCE .....	3-116
MAILING LIST MEMBER REALNAME .....	3-93
MAILING LIST OWNER .....	3-91, 3-95
MAILING LIST REALNAME .....	3-101
MAILING LIST SECURITY .....	3-97
MAILING LIST TYPE.....	3-96
MAILING LIST, ACTIVE MEMBER.....	3-102
MAILING LIST, DELETE MEMBERS .....	3-105
MAILING LIST, LAST DIGEST DISTRIBUTION .....	3-98
MAILING LIST, MODIFY .....	3-92
MAILING LISTS OF DEPARTMENTS .....	3-91
MAILING LISTS OWNED BY \$SYSTEM .....	3-89
MAILING LISTS OWNED BY THE PUBLIC.....	3-89
MAILING LISTS OWNED PRIVATELY .....	3-89
MAILING LISTS, LIST SERVER.....	5-6
MAILUPD.JOB.THREEK .....	3-117
MAILUPD.PUB.THREEK.....	3-117
MAILUSER NAME .....	3-48
MAINTENANCE MENU .....	3-15
MAINTENANCE OF MAILSYSTEM .....	3-120
MAINTENANCE PROGRAM .....	3-2
MAINTENANCE, MAILING LIST .....	3-116
MAX MAILBOX BYTES .....	3-44, 3-52
MAXIMUM MAIL PRIORITY.....	3-34, 3-61
ME/IX 4.0 NETWORKING.....	2-4
MENU INTERFACE .....	3-44, 3-52
MERCURY GATEWAY .....	3-138
MESSAGE ATTACHMENTS.....	3-136
MESSAGE DISPLAY LINES .....	3-45, 3-54
MESSAGE FILTERS.....	3-124
MESSAGE ID.....	3-17
MESSAGE LOGGING.....	3-121
MESSAGE RULES .....	3-124
MESSAGES RECEIVED.....	3-83
MESSAGES SENT.....	3-83
MHS MAILERS .....	3-138
MICROSOFT MAIL .....	3-138
MIME ENCODING .....	3-112
MINHEAD.DATA.THREEK.....	3-63
MODIFY MAILING LIST.....	3-92
MODIFYING HOST INFORMATION.....	3-76
MODIFYING MAIL USERS.....	3-48
MPE COMMANDS .....	3-35, 3-54

---

MPE COMMANDS (GLOBAL SETTING) .....	3-35
MPE COMMANDS FOR USERS .....	3-54
MPE FILES, FORWARDING TO .....	3-71
MPE LOGON FOR MAIL USERS .....	3-75
MPE SESSION NAMES .....	3-85
MX (MAIL EXCHANGER) DNS RECORDS .....	3-139
MX RECORDS .....	3-30

**N**

NAME PROTOCOL .....	5-5
NAME SERVER (DNS) .....	3-29
NAME,HOST .....	3-109
NAMESERVER .....	3-29, 3-133, 3-135
NAMESERVER (MX) RECORDS .....	3-30
NAMESERVERS (DEBUGGING) .....	4-7
NATIVE LANGUAGES .....	3-59
NATIVE-3000 (LANGUAGE) .....	3-60
NETEDIT .....	3-60
NETEDIT.PUB.THREEK .....	3-39
NETMAIL.JOB.THREEK .....	3-126
NETMAINT ALIASES MAINTENANCE SCREEN .....	3-85
NETMAINT DATABASE INFORMATION MENU .....	3-6, 3-16, 3-34, 3-47, 3-74 3-76, 3-85, 3-89, 3-104, 3-109
NETMAINT HP DESK GATEWAY CONFIGURATION MAINTENANCE SCREEN ..	3-109
NETMAINT INTERFACING PROGRAM MAINTENANCE SCREEN .....	3-104
NETMAINT KNOWN HOSTS MAINTENANCE SCREEN .....	3-76
NETMAINT MAILING LIST MAINTENANCE SCREEN .....	3-89
NETMAINT MAIN MENU .....	3-5, 3-6
NETMAINT MAINTENANCE MENU .....	3-15
NETMAINT PROGRAM .....	3-2
NETMAINT USER DEFAULTS SCREEN .....	3-34
NETMAINT USER MAINTENANCE (ADD) SCREEN .....	3-74
NETMAINT USER MAINTENANCE SCREEN .....	3-47, 3-76, 3-85
NETMAINT.PUB.THREEK .....	3-2
NETWORK .....	3-79
NETWORK ADDRESS .....	3-4
NETWORK DESCRIPTION .....	3-110
NETWORK STATISTICS .....	3-80
NETWORKS, X.25 .....	2-4
NEW MAIL NOTIFICATION .....	3-56, 3-57
NEWMAIL.PUB.THREEK .....	3-57
NEXT INDEX .....	3-17
NICNAME PROTOCOL .....	5-5
NODE, FORWARD TO .....	3-70
NOHEAD OPTION (FORWARD TO NODE) .....	3-71



NOTIFICATION ..... 3-36, 3-56  
 NOTIFICATION OF NEW MAIL..... 3-57

**O**

ONGOING MAINTENANCE ..... 3-4  
 OPTION LOGON UDC ..... 3-57  
 OSI ..... 3-138  
 OUTGOING ADDRESS FORMAT ..... 3-112  
 OWNER OF MAILING LIST ..... 3-91, 3-95

**P**

PASSWORD (MAILBOX) ..... 3-53  
 PC MAIL SERVER ..... 3-68  
 PCMAIL CLIENT ..... 3-68  
 PEGASUS MAIL ..... 3-138  
 PERFORMANCE, MAIL JOB..... 3-126  
 PHONE NUMBER..... 3-52  
 PING PROGRAM (DEBUGGING)..... 4-5  
 PIPE (COMMAND FILE) ..... 3-72  
 PIPING ..... 3-72  
 PLACE HEADERS IN DESK MESSAGES ..... 3-114  
 PMS2MAIL PROGRAM ..... 3-3  
 POP (INTERNET MAIL ACCOUNTS) ..... 3-141  
 POP2..... 1-10  
 POP2 CLIENT ..... 3-68  
 POP2 CLIENTS ..... 1-10  
 POP2 SERVERS (NUMBER OF) ..... 3-23  
 POP3 SERVERS (NUMBER OF) ..... 3-25  
 PPP (POINT TO POINT PROTOCOL)..... 3-140  
 PREVENTING SPAMMING..... 3-123  
 PRINTER ..... 3-46, 3-66, 3-67  
 PRIORITY (GLOBAL SETTING) ..... 3-34  
 PRIORITY (USER SETTING) ..... 3-61  
 PRIVATE MAILING LISTS ..... 3-89  
 PROBE ..... 4-7  
 PROGRAM NAME ..... 3-104  
 PROGRAM, NETMAINT ..... 3-2  
 PROGRAM, SPELL CHECKER..... 3-20  
 PSEUDO MAILBOXES..... 3-70  
 PUBLIC MAILING LISTS ..... 3-89

**Q**

QUIT, LISTSERV COMMAND ..... 5-8  
 QUOTE OF THE DAY PROOCOL..... 5-4

QUOTE OF THE DAY SOCKET ..... 5-4  
 QUOTE PROTOCOL..... 5-3  
 QUOTECAT.DATA.THREEK ..... 5-4  
 QUOTED PRINTABLE ENCODING..... 3-23

**R**

REAL NAME ..... 3-50  
 REALNAME OF MAILLIST MEMBER ..... 3-93  
 REALNAME, MAILING LIST ..... 3-101  
 RECOVERY FROM SYSTEM INTERRUPTS..... 4-3  
 REFUSE.DATA.THREEK..... 3-124  
 REFUSING MAIL FROM CERTAIN HOSTS ..... 3-123  
 REMOTE ACCESS RESTRICTION..... 3-123  
 REMOVING MAIL USERS ..... 3-48  
 RESLVCNF.NET.SYS..... 3-135  
 REVIEW, LISTSERV COMMAND ..... 5-8  
 RFCs ..... 5-10  
 ROUTE OUTBOUND MAIL ..... 3-27  
 ROUTERS (FIREWALLS) ..... 4-6  
 ROUTERS LINKS AND GATEWAYS ..... 2-4  
 RULES, MESSAGE..... 3-124

**S**

SCHEDULED INTERNET LINKS ..... 3-142  
 SCREEN, DATABASE STATUS ..... 3-5  
 SCREEN, MAINTENANCE MENU..... 3-15  
 SCREEN, USER MAINTENANCE..... 3-47  
 SECTION 3 MANAGING THE MAIL SYSTEM..... 3-1  
 SECURED ..... 3-105  
 SECURED MAIL SYSTEM ..... 3-3, 3-19  
 SECURED MAIL SYSTEM (GLOBAL SETTING)..... 3-19  
 SECURITY..... 3-55  
 SECURITY (RESTRICTIONS)..... 3-123  
 SECURITY 3000 ..... 3-3, 3-19, 3-20  
 SECURITY FIREWALL ..... 4-6  
 SECURITY FIREWALLS ..... 3-27  
 SECURITY OF MAILING LIST..... 3-97  
 SECURITY PLUS ..... 3-20  
 SECURITY PLUS MESSAGE NOTIFICATION..... 3-57  
 SECURITY/PLUS ..... 3-19  
 SECURITY/PLUS USERS..... 3-19  
 SENDMAIL PACKAGE ..... 3-137  
 SEPARATESTDLISTS (JCW) ..... 3-127  
 SEPARATESTDLISTS JCW..... 3-129  
 SESSION,USER.ACCT ..... 3-74, 3-87

SET, LISTSERV COMMAND ..... 5-8

SETUSRIF.PUB.THREEK ..... 3-45

SHOW, LISTSERV COMMAND ..... 5-8

SIGNATURE FILE ..... 3-59

SLAVED PRINTERS..... 3-67

SLIP (SERIAL LINE INTERNET PROTOCOL) ..... 3-140

SMTP ..... 1-4, 1-10

SMTP SERVERS ..... 3-21

SPAMMING, PREVENTING ..... 3-123

SPECIAL CHARACTERS (USER NAMES) ..... 3-49

SPECIAL MAILBOXES ..... 3-70

SPELL CHECK MESSAGES ..... 3-38

SPELL CHECKER..... 3-58

SPELL CHECKER (GLOBAL SETTING)..... 3-20

SPELL PROGRAM ..... 3-20

STATISTICS ..... 3-121

SUBSCRIBE, LISTSERV COMMAND ..... 5-8

SUPPORT, TECHNICAL ..... 4-2

SYSTEM BACKUP ..... 3-130

SYSTEM INFORMATION (HOSTS) ..... 3-4

SYSTEM INTERRUPTS, RECOVERY ..... 4-3

SYSTEM MANAGER (SM) CAPABILITY ..... 3-2

SYSTEM PERFORMANCE ..... 3-126

SYSTEMS MAILING LISTS ..... 3-89

**T**

TCP/IP CHECKSUMS..... 4-6

TCPACCES.SYS.THREEK..... 5-5

TCPELERR JCW (GET PROGRAM)..... 5-2

TECHNICAL SUPPORT..... 4-2

TELNET (USE IN DEBUGGING) ..... 4-6

TEXT EDITOR..... 3-60

TIME LIMITS (MESSAGE DELIVERY)..... 3-11

TIME TO LIVE ..... 3-81

TIME ZONE..... 3-17

TRANSACTION FORMATS (ADE) ..... 3-117

TRANSIENT MESSAGES (SPACE USED)..... 3-8

TRUSTED GATEWAY (GLOBAL SETTING) ..... 3-27

TYPE ..... 3-106

TYPE OF MAILING LIST..... 3-96

**U**

UDC ..... 3-57

UNHIDDEN, LISTSERV OPTION..... 5-8

UNSECURED MAIL SYSTEMS ..... 3-3

UNSUBSCRIBE, LISTSERV COMMAND ..... 5-9  
 UPDATING ALIASES..... 3-86  
 UPDATING MAIL USERS ..... 3-47, 3-48  
 USER ..... 3-48  
 USER (ALIASES) ..... 3-86  
 USER CHANGES ..... 3-48  
 USERS ..... 3-3  
 USERS PHONE NUMBER ..... 3-52  
 USERS REAL NAME ..... 3-50  
 USS SECURITY PLUS ..... 3-3  
 USS SECURITY PLUS MESSAGE NOTIFICATION..... 3-57  
 USS SECURITY/PLUS ..... 3-19, 3-20  
 UUCP ..... 3-134, 3-136  
 UUCP SYSTEMS..... 3-78  
 UUENCODE ..... 3-112  
 UUENCODED ATTACHMENTS (GATEWAY ISSUES)..... 3-136

**V**

VE2MAIL..... 3-3  
 VERIFY, LISTSERV COMMAND..... 5-9  
 VERIFYING DELETES..... 3-39, 3-65  
 VESOFT SECURITY 3000 ..... 3-3, 3-19, 3-20

**W**

WHOIS (ALLOWING DISPLAY) ..... 3-57  
 WHOIS COMMAND..... 3-37  
 WHOIS PROTOCOL..... 5-5  
 WORDPERFECT OFFICE ..... 3-138

**X**

X.400..... 3-138  
 XEQ COMMAND FILE ..... 3-72